Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

## $\underline{1}$ Identification of the substance/mixture and of the company/undertaking

- . 1.1 Product identifier
- . Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- . Application of the substance / the mixture Adhesive
- . 1.3 Details of the supplier of the safety data sheet
- . Manufacturer/Supplier:

Polypipe Italia S.r.l.
Località Pianmercato
5C - 5D 16044
Monleone di Cicagna (GE)
tel. +39 0185 92399
fax. +39 0185 92699
e mail: info@polypipeitalia.com

- . Further information obtainable from: Polypipe Italia S.r.l.
- . 1.4 Emergency telephone number: +39 0185 92399

## 2 Hazards identification

- . 2.1 Classification of the substance or mixture
- . Classification according to Regulation (EC) No 1272/2008



GHS02

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08

Carc. 2 H351 Suspected of causing cancer.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008

  The product is classified and labelled according to the CLP regulation.
- . Hazard pictograms







GHS02

GHS07

GHS08

(Contd. on page 2)

GB-EN

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

(Contd. of page 1)

- . Signal word Danger
- . Hazard-determining components of labelling:

tetrahydrofuran
methyl ethyl ketone

- . Hazard statements
  - H225 Highly flammable liquid and vapour.
  - H319 Causes serious eye irritation.
  - H351 Suspected of causing cancer.
  - H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.
- . Precautionary statements
  - P101 If medical advice is needed, have product container or label at hand.
  - P102 Keep out of reach of children.
  - P210 Keep away from heat, hot surfaces, sparks, open flames and other
    - ignition sources. No smoking.
  - P261 Avoid breathing vapours.
  - P281 Use personal protective equipment as required.
  - P370+P378 In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
  - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
  - P501 Dispose of contents/container in accordance with national regulations.
- . Additional information:
  - EUH066 Repeated exposure may cause skin dryness or cracking.
- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.

## 3 Composition/information on ingredients

- . 3.2 Mixtures
- . Description: Adhesive
- . Dangerous components:

CAS: 109-99-9 tetrahydrofuran 50-100% EINECS: 203-726-8 Flam. Liq. 2, H225; Carc. 2, H351; Eye Reg.nr.: 01-2119444314-46 Prit. 2, H319; STOT SE 3, H335

CAS: 78-93-3 methyl ethyl ketone 25-50%

. Additional information:

For the wording of the listed hazard phrases refer to section 16.

## 4 First aid measures

- . 4.1 Description of first aid measures
- . After inhalation: Supply fresh air; consult doctor in case of complaints.
- . After skin contact: Generally the product does not irritate the skin.
- . After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- . After swallowing: Do not induce vomiting; call for medical help immediately.
- . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

B EN

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

Page 3/9

(Contd. of page 2)

### 5 Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents:

Water haze

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- . For safety reasons unsuitable extinguishing agents: Water with full jet
- . 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- . 5.3 Advice for firefighters
- . Protective equipment: Mount respiratory protective device.
- . Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### 6 Accidental release measures

. 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

. 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

. 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

. 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

. Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- . Requirements to be met by storerooms and receptacles: Store in a cool location.
- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

. 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

Page 4/9

(Contd. of page 3)

## 8 Exposure controls/personal protection

. Additional information about design of technical facilities:

No further data; see item 7.

- . 8.1 Control parameters
- . Ingredients with limit values that require monitoring at the workplace:

#### 78-93-3 methyl ethyl ketone

WEL (Great Britain) Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV

IOELV (European Union) Short-term value: 900 mg/m³, 300 ppm

. Ingredients with biological limit values:

# 78-93-3 methyl ethyl ketone

BMGV (Great Britain) 70  $\mu$ mol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

. Additional information: The lists valid during the making were used as basis.

Long-term value: 600 mg/m³, 200 ppm

- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

# . Respiratory protection:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation.

- . Recommended filter device for short term use: Filter  ${\tt A}$
- . Protection of hands:

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### . Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

GB-EN

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

Page 5/9

(Contd. of page 4)

. Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

PVC or PE gloves

. Eye protection:



Tightly sealed goggles

. Body protection: Solvent resistant protective clothing

# 9 Physical and chemical properties

. 9.1 Information on basic physical and chemical properties

. General Information

. Appearance:

Form: Fluid

Colour: According to product specification

. Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range:  $65~^{\circ}\text{C}$  . Flash point:  $-21~^{\circ}\text{C}$ 

. Flammability (solid, gaseous): Not applicable.

. Ignition temperature: 230 °C

. Decomposition temperature: Not determined.

. Self-igniting: Product is not selfigniting.

. Danger of explosion: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

. Explosion limits:

Lower: 1.5 Vol % 12.0 Vol %

Vapour pressure at 20 °C: 200 hPa

Density at 20 °C: 0.95 g/cm³

Relative density
Vapour density
Evaporation rate
Not determined.
Not determined.

. Solubility in / Miscibility with

water: Not miscible or difficult to mix.

. Partition coefficient (n-octanol/

water):
Not determined.

. Viscosity:

Dynamic at 20 °C: 1500 mPas

(Contd. on page 6)

GB-EN

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

Page 6/9

(Contd. of page 5)

Kinematic:
Not determined.

Organis solvents: 83.1 % Solids content: 16.8 %

9.2 Other information All relevant physical data were determined for

the mixture. All non-determined data are not

measurable or not relevant for the characterization of the mixture.

## 10 Stability and reactivity

- . 10.1 Reactivity No further relevant information available.
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products:

Danger of forming toxic pyrolysis products.

### 11 Toxicological information

- . 11.1 Information on toxicological effects
- . Acute toxicity Based on available data, the classification criteria are not met.
- . LD/LC50 values relevant for classification:

### 109-99-9 tetrahydrofuran

Oral LD50 3000 mg/kg (rat)

### 78-93-3 methyl ethyl ketone

Oral LD50 3300 mg/kg (rat)

Dermal LD50 5000 mg/kg (rbt)

- . Primary irritant effect:
- . Skin corrosion/irritation

Based on available data, the classification criteria are not met.

. Serious eye damage/irritation

Causes serious eye irritation.

. Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity

Based on available data, the classification criteria are not met.

. Carcinogenicity

Suspected of causing cancer.

. Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

. STOT-repeated exposure

Based on available data, the classification criteria are not met.

. Aspiration hazard

Based on available data, the classification criteria are not met.

### 12 Ecological information

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

Page 7/9

(Contd. of page 6)

- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Additional ecological information:
- . General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- . 12.5 Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- . Uncleaned packaging:
- . Recommendation:

Disposal must be made according to official regulations. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### 14 Transport information

- . 14.1 UN-Number
- . ADR, ADN, IMDG, IATA UN1133
- . 14.2 UN proper shipping name
- . ADR/ADN 1133 ADHESIVES, special provision 640D
- . IMDG, IATA ADHESIVES
- . 14.3 Transport hazard class(es)
- . ADR/ADN



- . Class 3 (F1) Flammable liquids.
- . Label
- . IMDG, IATA



- . Class 3 Flammable liquids.
- . Label
- . 14.4 Packing group
- . ADR, ADN, IMDG, IATA
- . 14.5 Environmental hazards:
- . Marine pollutant:
- . 14.6 Special precautions for user Warning: Flammable liquids.

(Contd. on page 8)

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade name: EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

(Contd. of page 7)

. Danger code (Kemler): 33
. EMS Number: F-E,S-D

Stowage Category14.7 Transport in bulk according to

Annex II of Marpol and the IBC Code Not applicable.

. Transport/Additional information:

. ADR/ADN

Limited quantities (LQ)Excepted quantities (EQ)Code: E2

Maximum net quantity per inner packaging: 30

ml

Maximum net quantity per outer packaging: 500

ml

. Transport category 2 . Tunnel restriction code  $\rm D/E$ 

. IMDG

. Limited quantities (LQ) 5L . Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30

ml

Maximum net quantity per outer packaging: 500

m⊥

. Remarks: Under certain conditions substances in Class

3 (flammable liquids) can be classified in

packinggroup III.

See IMDG, Part 2, Chapter 2.3, Paragraph

2.3.2.2

. UN "Model Regulation": UN 1133 ADHESIVES, SPECIAL PROVISION 640D, 3,

ΙI

# 15 Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\frac{1}{2}$
- . Directive 2012/18/EU
- . Named dangerous substances ANNEX I None of the ingredients is listed.
- . Seveso category P5c FLAMMABLE LIQUIDS
- . Qualifying quantity (tonnes) for the application of lower-tier requirements  $5,000\ \mathrm{t}$
- . Qualifying quantity (tonnes) for the application of upper-tier requirements  $50,000\ \mathrm{t}$
- . REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- . 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 9)

Printing date 03.08.2016 Version number 17 Revision: 03.08.2016

Trade namemf EFFAST TITE COLLA SPECIALE EXTRA RAPIDA BOT 500ML\*12 L219

Page 9/9

(Contd. of page 8)

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

- . Department issuing SDS: Polypipe Italia
- . Contact: Reach coordinator
- · Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids - Category 2
Eye Irrit. 2: Serious eye damage/eye irritation - Category 2
Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

B-EN